



emergency overflow



<b>Capacity</b>	
Organic daily load	0,6 kg BOD <sub>5</sub>
Hydraulic daily load	1,5 m <sup>3</sup>
<b>Water Levels</b>	
H <sub>BB,min</sub>	1130 mm
H <sub>BB,max</sub>	1370 mm
HW <sub>ges</sub>	1480 mm
H <sub>p</sub>	480 mm
H <sub>s</sub>	1000 mm
<b>Dimension</b>	
Length L	2280 mm
Width B	1985 mm
Height H	2430 mm
Inflow E	205/515 mm
Outflow A	520 mm



Maxi (as option)



<p><b>D</b></p> <p><b>Klaro E Professional 10 EW TD-Mini</b>  <b>Carat 4800 L / 1268 gal.</b></p>			<p>Artikel-Nr. product no.</p> <p>article no.</p> <p>articulo no.</p>
<p><b>GB</b></p> <p>Klaro E Professional 10 inh. TD-Mini Carat 4800 L / 1268 gal.</p>	<p><b>ES</b></p> <p>Klaro E Professional 10 PE Cúpula Mini Carat 4800 L / 1268 gal.</p>	<p><b>FR</b></p> <p>Klaro EProfessional 10 EH mini-dôme Carat 4800 L / 1268 gal.</p>	<p>revision</p>
<p>gezeichnet drawn</p> <p>ISC</p>	<p>Gewicht weight</p> <p>220 kg</p>	<p>Otto Graf GmbH Carl-Zeiss-Str. 2-6 DE-79331 Teningen mail@graf.info www.graf.info</p>	
<p>Datum date</p> <p>2016.08.16</p>	<p>Toleranz tolerance</p> <p>+/- 3%</p>		
<p>Maßstab scale</p> <p>unmaßst.</p>	<p>Einheiten units</p> <p>mm [inch] gal. = US gal.</p>		